



Diploma of Building and Construction (Building) and Certificate IV in Building and Construction (Building) Residential Contracts Pack 1

Learner's Resource (CPC40108)(CPC50208)

BC1576





Government of Western Australia Department of Training and Workforce Development Diploma of Building and Construction (Building) and Certificate IV in Building and Construction (Building) – Residential Contracts Pack 1

> CPC40108 CPC50208

Learner's Resource

Copyright and Terms of Use

© Department of Training and Workforce Development 2016 (unless indicated otherwise, for example 'Excluded Material').

The copyright material published in this product is subject to the Copyright Act 1968 (Cth), and is owned by the Department of Training and Workforce Development or, where indicated, by a party other than the Department of Training and Workforce Development. The Department of Training and Workforce Development supports and encourages use of its material for all legitimate purposes.

Copyright material available on this website is licensed under a <u>Creative Commons</u> <u>Attribution 4.0 (CC BY 4.0) license</u> unless indicated otherwise (Excluded Material).



Except in relation to Excluded Material this license allows you to:

- Share copy and redistribute the material in any medium or format
- Adapt remix, transform, and build upon the material for any purpose, even commercially

provided you attribute the Department of Training and Workforce Development as the source of the copyright material. The Department of Training and Workforce Development requests attribution as: © Department of Training and Workforce Development (year of publication).

Excluded Material not available under a Creative Commons license:

- 1. The Department of Training and Workforce Development logo, other logos and trademark protected material; and
- 2. Material owned by third parties that has been reproduced with permission. Permission will need to be obtained from third parties to re-use their material.

Excluded Material may not be licensed under a CC BY license and can only be used in accordance with the specific terms of use attached to that material or where permitted by the Copyright Act 1968 (Cth). If you want to use such material in a manner that is not covered by those specific terms of use, you must request permission from the copyright owner of the material.

If you have any questions regarding use of material available in this product, please contact the Department of Training and Workforce Development.

Training Sector Services Telephone: 08 6212 9789 Email: sectorcapability.ip@dtwd.wa.gov.au Website: www.dtwd.wa.gov.au First published 2010

ISBN 978-1-74205-570-1

© VET (WA) Ministerial Corporation 2010

Developed by the VET Workforce and Curriculum Grant Program 2010

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the Western Australian Department of Training and Workforce Development.

Whilst every effort has been made to ensure the accuracy of the information contained in this publication, no guarantee can be given that all errors and omissions have been excluded. No responsibility for loss occasioned to any person acting or refraining from action as a result of the material in this publication can be accepted by the Western Australian Department of Training and Workforce Development.

Published by and available from

Department of Training and Workforce Development



Government of Western Australia Department of Training and Workforce Development

1 Prospect Place West Perth WA 6005 Tel: (08) 6212 9700 Fax: (08) 9227 8393 Email: sales@dtwd.wa.gov.au Website: www.vetinfonet.dtwd.wa.gov.au

This product contains various images © Jupiter Images 2010, used under the licence. This resource contains units of competencies, performance criteria and elements from the CPC40108 Construction, Plumbing Services and Integrated Framework Training Package – CPC40108 Certificate IV in Building and Construction (Building) and CPC50208 Diploma of Building and Construction (Building) © Commonwealth of Australia used under the AEShareNet-FfE licence.



Document 1



Pack 1 documents

ID number	Document name	Version number
1	Document list	Version 1, 2010
2	Specification – low-rise residential	Version 1, 2010
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		



Document 2

SPECIFICATION

for

Proposed Single Storey Residence

Reproduced with the permission of RJ Knott PT Ker and Associates.

Page 1 of 9

(cc) BY-ND

SPECIFICATION

PROJECT: Single storey house – Double brick/Iron.

PROPRIETOR/S:

ADDRESS:

SITE:

CERTIFICATE OF TITLE:

LOCAL AUTHORITY:

The works of this specification and materials to be provided in the construction of the above building in accordance with the accompanying drawings and building contract.

Dated this	day of	20		
Signed:				
Proprietor(s))		Builder	
Witness			Witness	
Date			Date	

CONTENTS:

- A PRELIMINARIES
- **B DEMOLITION**
- C- SITEWORKS
- D- CONCRETOR
- E BRICKWORK
- F METAL WORK
- G- CARPENTER
- H- JOINER
- I ROOFER
- J ROOF PLUMBER
- K SANITARY PLUMBER
- L PLASTERER & TILER
- M- ELECTRICIAN
- N– GLAZIER
- O- PAINTER
- P THERMAL INSULATION
- Q- MISCELLANEOUS



<u>ADDENDA</u>

С

A PRELIMINARIES

1/- Main ground floor level 0c to be at RL: 3.750 as shown on plans. 2/- Garage floor level -2c to be at RL: 3.578 as shown on plans

B DEMOLITION

All plumbing and electrical work to be disconnected by a licensed tradesperson and left safe and tidy before demolition commences.

1/- Garage existing	Remove and cart away single brick and iron garage attached to existing house. Retain slab and drive for access and remove just before new driveway at the completion of construction.
2/- Large shed	Remove and cart away timber framed shed clad with asbestos cement sheeting and iron roof including concrete slab.
3/ - Small shed	Remove and cart away timber framed shed clad with asbestos cement sheeting and iron roof including concrete paving slabs.
4/- Existing bore	Decommission remove from site and fill in.
5/- Fibro fence	Remove existing asbestos cement fence cart away and dispose of in accordance with the WorkSafe code of practice.
SITEWORKS	
1 /- Earthwork:	Clearing, excavation, sand fill and compaction. Remove 3 existing medium size trees Including all roots
2/- Hard Digging or Blasting:3/- Council Crossover:	Not in the contract. Included in new driveway to shire requirements.
4/- Stormwater:	To be connected to Soak wells as shown on Site Plan.
5/- Sewer connection: 6/- Underground Main &	To main sewer by licensed plumber.
power connection:	Underground from new consumer pole.

N/A.

N/A

N/A.

Grey.

N/A

N/A.

D CONCRETOR

- 1/- Footing:
- 2/- Ground Floor Slab:
- 3/- Columns:

BRICKWORK Ε

- 1/- Bricklaying
 - a- External Walls: b- Internal Walls:
- Maxi or Verticor with painted render. Maxi or Verticor with hardwall plaster

As per engineer's drawings.

As per engineer's drawings.

As per engineer's drawings.

- 2/- Joints
 - a- External Walls:
 - b- Internal Walls:
 - c- Feature Walls:
 - d- Mortar Colour:
- 3/- Sills

F

a- External Sills: b- Internal Sills:

- METAL WORK 1/- Internal Door Frames:
- 2/- Windows –

Standard metal door frames.

sills in wet areas.

:Jason or similar powder coated aluminium windows.

Sloping render on 2c sill bricks.

MDF nosing to living areas with tiled

- Anotech Dark Grey colour.
- Key locks and fly screens.

Colorbond panel door

- Clear glazing / obscure to bathrooms ensuite and powder room

Selected 28c x 1200 wide pivot Door.

Combination gas/ electric meter box

cream colour with electronic opening.

- 3/- External Entrance Door:
- 4 /- Balustrades:
- 5/- Meter box:

6/- Clothes lines:

7/- Garage Door:

CARPENTER G

- 1/- Sill linings:
- 2/- Skirtings:
- 3/- Capping:

- 4/- Door furniture:
 - - a- Main Entrance: b- Internal door:

M.D.F nosing to all living rooms M.D.F splayed skirting No capping. Lockwood - Ovation® Series Door Furniture – Style - Cuji® – H08 Finish Stainless Steel

Entry set. Passage set except bathroom, ensuite & toilet to be privacy set

Н

I

J

5/- Towel rails: 6/- Toilet paper holders: 7/- BIR: 8/- Linen:	Sunny Bathroom Ware - chrome. Sunny Bathroom Ware - chrome. Full height sliding mirror doors Dummy handles to match passage set.
9/- Store:	No shelf.
JOINER 1/- External Entrance Frame: a- Main Entrance:	Powder coat commercial aluminium
	frame to suit pivot door.
2/- External doors:	280 x 1200 pivot door colid coro
a- Main Entrance Doors	s: 28c x 1200 pivot door solid core external door.
b- Garage Doors: c- Alfresco Door:	Matching entrance door only hinged 28c Bi-fold stacking 6mm clear laminated glass doors.
3/- Internal Doors:	-
a- General:	Corinthian Milan 104& metal door frames.
4/- Cupboards	
a- Kitchen Cabinets:	Laminex bench tops with malimine internal finish and full gloss vinyl wrapped doors with 'C' handles finished in Stainless Steel.
b- Overhead Cabinets:	
ROOFER	
1/- Main Roof Covering:	Colorbond sheet metal roofing @ 30°
2/- Roof Insulation:	pitch. Sarking to underside of roof sheeting with ceiling insulation to energy
3/- Ceiling Height:	assessors requirements. As shown on plan.
4/- Roof Lights:	N/A.
ROOF PLUMBER	
1/- Gutters:	Colorbond fascia & gutters.
2/- Downpipes: a- Exposed Downpipes:	Standard 90x45 Colorbond downpipes connect to soakwells where shown on plans and match wall colours.
b- Concealed Downpipes:	N/A

K SANITARY PLUMBER

1/- Drainage and Water Service:

I/- Drainage and water Servi	
	Connect to main sewer
Drainage:	
i-	Sewage connection.
ii-	All soak wells to heights and details
	shown on site plan including connection
	to RWP.
iii-	Provide all fixture points and
	connection.
Water service:	
i-	One 20mm copper cold water service to
	all points shown on plan and connect to
	water meter at the front boundary.
ii-	No External garden taps.
 iii-	Connect instantaneous gas hot water
111	service with 15mm copper pipe to all
	points required.
2/- Fixtures & Fittings:	
a- Toilet Suites:	Coroma Profile No 4 vitreous china
	toilet suite in white.
b- Cisterns:	Coroma Profile No 4 Dual Flush in
	white.
c- Bathroom Vanity Ba	
c- Bathroom Vanity Ba	sins:
c- Bathroom Vanity Ba	sins: Fowler Wentworth Oval 525 'White' with
c- Bathroom Vanity Ba	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome
·	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories.
c- Bathroom Vanity Ba d- Main Kitchen Sink:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap
d- Main Kitchen Sink:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1 ¹ / ₂ bowl sink with 1 tap hole.
·	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system
d- Main Kitchen Sink: e- Hot water system:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required.
d- Main Kitchen Sink:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required. Sunny Bathware–Flickmixer chrome to
d- Main Kitchen Sink: e- Hot water system:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required.
d- Main Kitchen Sink: e- Hot water system:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required. Sunny Bathware–Flickmixer chrome to
d- Main Kitchen Sink: e- Hot water system: f- Tapware:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required. Sunny Bathware–Flickmixer chrome to
d- Main Kitchen Sink: e- Hot water system: f- Tapware: PLASTERER & TILER 1/- External Walls:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required. Sunny Bathware–Flickmixer chrome to kitchen sink and Basins Painted rendered finish.
d- Main Kitchen Sink: e- Hot water system: f- Tapware: PLASTERER & TILER 1/- External Walls: 2/- Internal Walls:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required. Sunny Bathware–Flickmixer chrome to kitchen sink and Basins
d- Main Kitchen Sink: e- Hot water system: f- Tapware: PLASTERER & TILER 1/- External Walls: 2/- Internal Walls: 3/- Ceilings:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required. Sunny Bathware–Flickmixer chrome to kitchen sink and Basins Painted rendered finish. Plaster smooth float and set.
d- Main Kitchen Sink: e- Hot water system: f- Tapware: PLASTERER & TILER 1/- External Walls: 2/- Internal Walls:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required. Sunny Bathware–Flickmixer chrome to kitchen sink and Basins Painted rendered finish. Plaster smooth float and set. Gyprock ceilings raised in areas shown
d- Main Kitchen Sink: e- Hot water system: f- Tapware: PLASTERER & TILER 1/- External Walls: 2/- Internal Walls: 3/- Ceilings:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required. Sunny Bathware–Flickmixer chrome to kitchen sink and Basins Painted rendered finish. Plaster smooth float and set.
d- Main Kitchen Sink: e- Hot water system: f- Tapware: PLASTERER & TILER 1/- External Walls: 2/- Internal Walls: 3/- Ceilings: a- Internal:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required. Sunny Bathware–Flickmixer chrome to kitchen sink and Basins Painted rendered finish. Plaster smooth float and set. Gyprock ceilings raised in areas shown on plan.
d- Main Kitchen Sink: e- Hot water system: f- Tapware: PLASTERER & TILER 1/- External Walls: 2/- Internal Walls: 3/- Ceilings:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required. Sunny Bathware–Flickmixer chrome to kitchen sink and Basins Painted rendered finish. Plaster smooth float and set. Gyprock ceilings raised in areas shown on plan. Selected "Glosswood" eaves lining on
d- Main Kitchen Sink: e- Hot water system: f- Tapware: PLASTERER & TILER 1/- External Walls: 2/- Internal Walls: 3/- Ceilings: a- Internal: b- Eaves:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required. Sunny Bathware–Flickmixer chrome to kitchen sink and Basins Painted rendered finish. Plaster smooth float and set. Gyprock ceilings raised in areas shown on plan. Selected "Glosswood" eaves lining on the rake.
d- Main Kitchen Sink: e- Hot water system: f- Tapware: PLASTERER & TILER 1/- External Walls: 2/- Internal Walls: 3/- Ceilings: a- Internal:	sins: Fowler Wentworth Oval 525 'White' with right hand soap holder and Chrome Accessories. Oliveri S/S 1½ bowl sink with 1 tap hole. Instantaneous gas Hot Water system connected to all point required. Sunny Bathware–Flickmixer chrome to kitchen sink and Basins Painted rendered finish. Plaster smooth float and set. Gyprock ceilings raised in areas shown on plan. Selected "Glosswood" eaves lining on

Reproduced with the permission of RJ Knott PT Ker and Associates.

L

Μ

Ν

0

5/- Ti	iling:	PC sum \$50/m² based on 200x 200 tiles laid in white grout.
*	a- Walls: b- Floors: Kitchen:	200mm high skirting tiles with 2 tiles over hand basins and bath. 1800 high to showers. Floor tiles.
	a- Walls: b- Floors:	2 tiles high above bench top. N/ A.
1/- Si 2/- Si de		round power. points, wall lights, fluro's, smoke fans & power points as shown on
GLA 1/- Fr	ZIER rameless Mirrors:	800mm high full width of vanity to bathrooms.
2/- SI	hower screens:	Clear pivot doors & fixed panels.
PAIN 1/- E:	ITER xternal: a- Woodwork:	Prepare and sand down for one coat of undercoat and one coat of full gloss
	xternal:	•
1/- E	xternal: a- Woodwork: b- Metalwork: c- Rendered brick : d- Paint Colour: i- Wall Colour: ii-Gutter Facia: iii-Corbels:	undercoat and one coat of full gloss enamel. Brush clean and apply one coat of poxy 4 primer and 2 coats of acrathane.
1/- E	xternal: a- Woodwork: b- Metalwork: c- Rendered brick : d- Paint Colour: i- Wall Colour: ii-Gutter Facia:	 undercoat and one coat of full gloss enamel. Brush clean and apply one coat of poxy 4 primer and 2 coats of acrathane. Apply 2 coats of weathershield. Dulux Cargo River. Deep Ocean Colorbond. Dulux Calf skin. Prepare and sand down for one coat of primer or one undercoat and one coat
1/- E	xternal: a- Woodwork: b- Metalwork: c- Rendered brick : d- Paint Colour: i- Wall Colour: ii-Gutter Facia: iii-Corbels: ternal: a- Wood/ Metalwork: b- Ceilings:	 undercoat and one coat of full gloss enamel. Brush clean and apply one coat of poxy 4 primer and 2 coats of acrathane. Apply 2 coats of weathershield. Dulux Cargo River. Deep Ocean Colorbond. Dulux Calf skin. Prepare and sand down for one coat of primer or one undercoat and one coat of gloss. Seal all over with pigmented sealer and apply 2 coats of white painting.
1/- E	xternal: a- Woodwork: b- Metalwork: c- Rendered brick : d- Paint Colour: i- Wall Colour: ii-Gutter Facia: iii-Corbels: ternal: a- Wood/ Metalwork:	 undercoat and one coat of full gloss enamel. Brush clean and apply one coat of poxy 4 primer and 2 coats of acrathane. Apply 2 coats of weathershield. Dulux Cargo River. Deep Ocean Colorbond. Dulux Calf skin. Prepare and sand down for one coat of primer or one undercoat and one coat of gloss. Seal all over with pigmented sealer and

Ρ THERMAL INSULATION Sarking to underside of roof sheeting with ceiling insulation to energy assessors requirements. Q **MISCELLANEOUS** Supply and install new 1800 high 1/- Fencing: colorbond fence as indicated on plan 2/- Driveway: Lifestyle paving liquid limestone laid to fall to soak wells as shown on site plan. Lifestyle paving liquid limestone laid to 3/- Paving: fall to soak wells as shown on site plan. 4/- Floor Cover: By owner 5/- Window Treatments: By owners. 6/- Security System: N/A. 7/- Alfresco: CCA treated pine reeded decking boards fixed with galvanized screwnails to CCA sub floor frame 8/- Landscaping: By Owners. 9/- Soakwells: As shown on site plan. To Engineers details where shown on 10/- Retaining walls: plan. To Engineers details including safe 11/- Swimming pool: gate and fence. As detailed on plans. 12/- Water feature:

END

Reproduced with the permission of RJ Knott PT Ker and Associates.

CC BY-ND

© VET (WA) Ministerial Corporation 2010



Government of Western Australia Department of Training and Workforce Development

ORDERING INFORMATION: Tel: (08) 6212 9700 Fax: (08) 9227 8393 Email: sales@dtwd.wa.gov.au Orders can also be placed through the website: www.vetinfonet.dtwd.wa.gov.au





Diploma of Building and Construction (Building) and Certificate IV in Building and Construction (Building) Residential Contracts Pack 1



Careers. Skills. Opportunities.